

CADREX DR 100 SC

Deformation

DESCRIPTION

CADREX DR 100 SC is a chlorine-free, neat oil designed for drawing, bending, reshaping and fine cutting on all ferrous and non-ferrous metals, even under severe conditions.

RECOMMENDED APPLICATIONS

Approved by RENAULT, **CADREX DR 100 SC** can be recommended for all subcontractors working for the automotive industry.

Suitable for all parts arriving on assembly lines or elements used to make sub-assemblies (sheet steel, bare or coated beforehand with zinc or zinc alloys, sheet aluminum, etc.).

Ready to use, it can be used by spraying, brushing or dipping.

For deep drawing, please use our **CADREX DR 220 SC** product.

ADVANTAGES

- Does not yellow under an HPRL lamp.
- **CADREX DR 100 SC** has passed multi-friction cycle, washable tests and protection tests concerning RENAULT applications for all processes.
- If it is not rinsed off, **CADREX DR 100 SC** provides temporary protection from all subsequent corrosion, for treated metals.
- Easy to clean lubricant residues before paint application.
- Protection against corrosion: 6 months under shelter.

TECHNICAL INFORMATIONS

CHARACTERISTICS	METHOD	UNIT	CADREX DR 100 SC
Aspect			Light
Colour	ASTM D1500		4
Density at 20°C	ISO 12.185		0.933
Viscosity at 40°C	ASTM D 445	mm ² /s	102
Flash point	ASTM D92	°C	201
Copper stripe corrosion	NTF M 07105		1a
Pour point	ASTM D 97	°C	-21
Storage			Dry, frost-free space

The specifications are given for information purposes only and may need to change.